

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	390	search\$6 with events! with (geographic\$9 or region or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:55
L2	1767	(retriev\$6 or locate or locating or find\$3 or search \$6 or request\$6 or quer\$6) with events! with (geographic\$9 or region or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:56
L3	483	((retriev\$6 or locate or locating or find\$3 or search \$6 or request\$6 or quer\$6) with events!) adj9 (geographic\$9 or region or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:57
L4	103	3 and zip adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:57
L5	79	4 and latitude and longitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:57
L6	38	5 and calendar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:57
L7	16	6 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 06:59

L8	16	7 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:00
L9	486	((retriev\$6 or locate or locating or find\$3 or search \$6 or request\$6 or quer\$6) with events!) adj9 (geographic\$9 or region or location or (zip adj (code or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:02
L10	1	9 and (geographic \$9 or regions! or location) and (zip adj (code and list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:03
L11	105	9 and (geographic \$9 or regions! or location) and (zip adj (code or list))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:03
L12	79	11 and latitude and longitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:03
L13	38	12 and calendar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:03
L14	37	13 and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:03
L15	16	14 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:03

L16	0	15 and events! and defined adj event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:07
L17	16	15 and events!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:07
L18	0	15 and events! and (tree or hierarch\$6 or structure) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:07
L19	59	9 and events! and (tree or hierarch\$6 or structure) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:08
L20	14	19 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:08
L21	0	20 and event with ((geographic\$9 or regions! or location) and (zip adj (code or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:09
L22	15	9 and event with ((geographic\$9 or regions! or location) and (zip adj (code or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:10
L23	5	22 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:10
L24	0	23 and latitude and longitude and calendar and distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:13

L25	0	23 and latitude and longitude and calendar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:13
L26	1	23 and latitude and longitude	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:13
L27	0	23 and calendar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:13
L28	0	23 and events! and (tree or hierarch\$6 or structure) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:15
L29	59	9 and events! and (tree or hierarch\$6 or structure) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:16
L30	14	29 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:16
L31	2	30 and (((latitude and longitude) or location or (zip adj code) or (zip adj list)) and (geographic\$9 or region) and calendar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:18
L32	2	30 and (((latitude and longitude) or location or (zip adj code) or (zip adj list)) and (geographic\$9 or region) and calendar) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:22

L33	7	((latitude and longitude and location and ((zip adj code) or (zip adj list)) and (geographic\$9 or region) and calendar) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:24
L34	3	33 and ((retrieve\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer\$6) with event) adj9 (geographic\$9 or region or location or (zip adj (code or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:26
L35	14436	((user adj defined) or (creat\$6 or generat\$6 or implement\$6 or establish\$8 or construct\$6 or build\$3)) near4 event with user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:28
L36	21	35 and (((zip adj code) or (zip adj list)) and (geographic\$9 or region) and calendar) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:29
L37	5	36 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:29
L38	5	37 and events! and (tree or hierarch\$6 or structure or list\$3) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:30
L39	1	(( (zip adj code) and (zip adj list)) and (geographic\$9 or region) and calendar) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:33

L40	2	((zip adj code) and (zip adj list)) and (geographic\$9 or region) and calendar) and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:33
L41	2	(zip adj code) and (zip adj (list\$3 or database or (data adj (base or source)) or table)) and (geographic\$9 or region) and calendar and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:35
L42	17	(zip adj code) and (zip adj (list\$3 or database or (data adj (base or source)) or table)) and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:35
L43	37	(zip adj code) and (zip adj2 (list\$3 or database or (data adj (base or source)) or table)) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:38
L44	20	43 and (@AD <= "20001031" or @FLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:38
L45	19	44 and event and ((geographic\$9 or regions! or location) and (zip adj (code or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:38
L46	16	45 and ((retriev\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer\$6) with event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:39

L47	0	45 and ((retriev\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer\$6) with event) adj9 (geographic \$9 or region or location or (zip adj (code or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:39
L48	16	45 and ((retriev\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer\$6) with event) same (geographic \$9 or region or location or zip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:39
L49	36093	event\$1 and (tree or hierarch\$6 or structure or list\$3 or (database or (data adj (base or source)))) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:43
L50	6	49 and ((retriev\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer\$6) with event) same (geographic \$9 and region and location and zip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:44
L51	1	50 and (zip adj code) and (zip adj (list\$3 or database or (data adj (base or source)) or table)) and (geographic\$9 or region) and calendar and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:45
L52	1	50 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:45

L53	12764	49 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:45
L54	173	53 and ((retriev\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer\$6) with event) and (geographic\$9 and region and location and zip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:46
L55	0	54 and (zip adj code) and (zip adj2 (list\$3 or database or (data adj (base or source)) or table)) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:46
L56	1	54 and (zip adj code) and (zip adj2 (list\$3 or database or (data adj (base or source)) or table)) and event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:46
L57	43	54 and ((zip adj code) or (zip adj2 (list\$3 or database or (data adj (base or source)) or table))) same event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:48
L58	22	54 and ((zip adj code) or (zip adj2 (list\$3 or database or (data adj (base or source)) or table))) same events!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:49
L59	2	54 and ((zip adj code) or (zip adj2 (list\$3 or database or (data adj (base or source)) or table))) with events!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:49



L60	24	54 and ((zip adj code) or (zip adj2 (list\$3 or database or (data adj (base or source)) or table))) with event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:51
L61	18713	event\$1 and (tree or hierarch\$6 or (data adj structure) or (database or (data adj (base or source)))) near5 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:52
L62	6002	61 and (@AD <= "20001031" or @RLAD <= "20001031")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:53
L63	6629	61 and (@AD <= "20010228" or @RLAD <= "20010228")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:53
L64	109	63 and ((retriev\$6 or locate or locating or find\$3 or search\$6 or request\$6 or quer \$6) with event) and (geographic\$9 and region and location and (zip adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:54
L65	88	64 and events! and (tree or hierarch\$6 or (data adj structure) or (database or (data adj (base or source)))) near3 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:54

L66	73	64 and events! and (tree or hierarch\$6 or (data adj structure) or (database or (data adj (base or source)))) near2 event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:55
L67	1	66 and (geographic \$9 and regions! and location and (zip adj code)) with event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:56
L68	7	66 and ((geographic\$9 or region) and location and (zip adj code)) with event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/05 07:57

3/ 5/ 09 8:01:28 AM

C:\Documents and Settings\aly\My Documents\EAST\Workspaces\LY.wsp